



workmanship of highest quality



[www.brancley.com](http://www.brancley.com)

**MODEL : BSL**  
**STYLE : BRANCLEY STEP LADDER**  
 Load Capacity 150 kg.

MODEL No.	Total Height (Inch)	Platform Height (Inch)
BSL - 03	47	25
BSL - 04	57	34
BSL - 05	67	43
BSL - 06	77	52
BSL - 07	87	61
BSL - 08	97	70
BSL - 09	107	79
BSL - 10	117	88



**Product Advantages :**

- Light Weight
- Easy Handling
- Comfort in Use



**Technical Features:**

- High grade extruded aluminium alloy for more strength, rigidity and high corrosion resistance.
- High grade slip resistant foot pads.
- Rigid, sturdy & light weight with exceptionally strong structure for bearing human load upto 150 kgs.

**MODEL : BCL**  
**STYLE : BRANCLEY COMFY LADDER**  
 Load Capacity 150 kg.

MODEL No.	Total Height (Inch)	Platform Height (Inch)
BCL - 04	56	36
BCL - 05	66	46
BCL - 06	76	56
BCL - 07	86	66

**USAGE:**

Domestic purpose / Factory Facilities / Construction & building maintenance site / Departmental stores

**Technical Features:**

- High grade extruded aluminium alloy for more strength, rigidity and high corrosion resistance.
- High grade slip resistant foot pads.
- Rigid, sturdy & light weight with exceptionally strong structure for bearing human load upto 150 kgs.
- Easy and safe to climb with the support of side railings.



MODEL : **BDPL**

STYLE : **DUAL PURPOSE LADDER**

Load Capacity 150 kg.

MODEL No.	HEIGHT OF LADDER in FT/(mtr)		Open Size (AXB) (mm)
	Before(L) extension	After extension	
BDPL - 03	3ft(0.9mtr)		385 x 560
BDPL - 04	4ft(1.20mtr)		420 x 745
BDPL - 05	5ft(1.50mtr)	9ft(2.7mtr)	460 x 975
BDPL - 06	6ft(1.80mtr)	11ft(3.30mtr)	500 x 1175
BDPL - 07	7ft(2.10mtr)	13ft(3.90mtr)	541 x 1360
BDPL - 08	8ft(2.40mtr)	15ft(4.50mtr)	577 x 1552
BDPL - 09	9ft(2.70mtr)	17ft(5.1mtr)	620 x 1754
BDPL - 10	10ft(3.0mtr)	19ft(5.70mtr)	659 x 1940
BDPL - 12	12ft(3.6mtr)		753 x 2370
BDPL - 14	14ft(4.2mtr)		810 x 2760
BDPL - 17	17ft(5.2mtr)		935 x 3478



### Technical Features:

- Ladders made from high grade extruded aluminium that gives more strength, rigidity and high corrosion resistance.
- Top and bottom steps are knee braced to increase the resistance to avoid the damages due to dymic drop. High grade slip resistant foot pad.
- Slip resistant traction tread steps.
- Rigid, Sturby & Slim in Look with exceptionally strong structure.

### USAGE:

- Maintenance of street lighting
- Constructin job sites.
- For Painting and decoration the building.
- Electro Mechanical works.
- Shopping Mall.

MODEL : **FRP**

STYLE : **Brancley FRP LADDER**

Load Capacity 150 kg.

- Non-conductive fibreglass stiles, ideal for working around electricity for home and industrial use
- Integrated tool tray for holding tools whilst you work
- High grade of FRP makes it more rigid and stable & 150kg load capacity suitable for heavy trade use
- Solid aluminium rivets provide rigid fixing
- Non Conductive ladder and also fire resistance, Corrosion & Water Resistant
- Available in 3 feet to 12 feet
- ERDA certified ladders
- Comes with a 1 year warranty for Manufacturers defects



Model No.	HEIGHT OF LADDER in ft./Mtr.
FRP - 04	4 Ft./1.2Mtr.
FRP - 05	5 Ft./1.5Mtr.
FRP - 06	6 Ft./1.8Mtr.
FRP - 07	7 Ft./2.1Mtr.
FRP - 08	8 Ft./2.4Mtr.
FRP - 09	9 Ft./2.7Mtr.
FRP - 10	10 Ft./3 Mtr.
FRP - 12	12 Ft./3.6Mtr.


## HEAVY DUTY STRAIGHT LADDER

MODEL : **BHSL**

STYLE : **SINGLE STRAIGHT LADDER**

(C-Section with round rung) Load Capacity 150 kg.


MODEL No.	LENGTH	
	Feet	Meter
BHSL 07	6.6	1.9
BHSL 09	8.3	2.4
BHSL 11	10.0	3.0
BHSL 14	12.5	3.7
BHSL 16	14.0	4.2
BHSL 18	16.0	4.8
BHSL 23	20.0	6.0



MODEL : **BSSL**

STYLE : **BRANCLEY STRAIGHT STEP LADDER**

Load Capacity 150 kg.



MODEL No.	HEIGHT (Feet)
BSSL 06	6
BSSL 07	7
BSSL 08	8
BSSL 09	9
BSSL 10	10


## SINGLE STRAIGHT LADDER

MODEL : **BRSL**

STYLE : **ROUND RUNG LADDER**

(O-SECTION)

Load Capacity 150 kg.



MODEL No.	HEIGHT (Feet)
BRSL 06	6
BRSL 08	8
BRSL 10	10
BRSL 12	12
BRSL 14	14
BRSL 16	16

### USAGE:

- Maximum Security ● Easy Handling
- Maintenance of street Lighting.
- Construction job sites
- Electro Mechanical works
- Shopping Mall ● Comfort in use

MODEL : **BMPL**

STYLE : **BRANCLEY MULTI PURPOSE LADDER**

Load Capacity 150 kg.



### Description:

The multi purpose Ladder is a compact four section folding ladder, Which can be used in upto four configurations, plus a workbench. When foded it measures just 940mm x 350mm x 255 mm and will fit easily into a car bood.

### Technical Features:

Four section hinged ladder.

Square rungs and box - section style gives exceptional strength and rigidity. Large click - stopped hinges ensure a safe, positive lock in each position.

### Multi purpose Mode:

- Step Ladder ● Stairway ladder.
- Leaning ladder with standoff.
- Leaning ladder ● Workbench

MODEL : **BRANCLEY TELESCOPIC LADDER**

STYLE : **SINGLE TELESCOPIC LADDER**

Load Capacity 150 kg.

### Technical Features:

- Ideal For Cleaning Windows, Interior & Exterior Painting & Decorations, All Other House Hold Works & Office Works.
- Super Quality Alloy Aluminium Built Ladder. Non-Slip Rubber Angled Feet to Protect Floor Surfaces and Give Great Grip in All Positions. Anti-Skid PVC Shoes for Added Safety.
- Foldable easaly portable & occoupy less storage space.
- Available in 3.2, 3.8, 4.2 & 5.2 meters



MODEL : **BRANCLEY ALUMINIUM SCAFFOLDING**

STYLE : **INDUSTRIAL SCAFFOLD TOWERS**

- Tube to tube welded joints makes frames lighter.
- Integral with 500mm rung spacing.
- Weight rating 700Kg less tower self weight.
- Available in different working heights from 2 mtr. to 15 meter with two width options of single & double width.
- Fitted with single locking castors individual certified to 700 Kg. static load.
- Frame Section available in 850mm and 1450mm widths and 1m., 1.5m. and 2m. Heights.
- Fully welded Ladder incorporated into frame.
- Tower base plates are available as an alternative.
- Safe working load of 275 kg. per platform.
- Floating Spigots for easy assembly / dismantching.




Model	Material	Length	Width	Available Height	Castor Wheels
Double Width Tower	Alluminium Alloy	1.8 Mtr.	1.6 Mtr.	2 mtr. to 15 Mtr.	6" Castor Wheels
Single Width Tower	Alluminium Alloy	1.8 Mtr.	0.8 Mtr.	2 mtr. to 15 Mtr.	6" Castor Wheels

## Clothes Dryers :



**Model : BCD-SS**  
Stainless Steel Pipe



**Model : BCD-SS(W)**  
Stainless Steel Pipe



**Model : BCD-AL**  
Aluminium Pipe

### **Features:**

- Rust Free
- Durable
- Easy to Use
- Convenient to Move
- Space Saving Design



**Model : BCD-X**  
Scissor



**Model : BCD-PC**  
Powder Coated



# BRANCLEY IRONING TABLE

## Technical Features :

- Stable, Height Adjustable
- Electrostatic stainless paint.
- Premium cotton cover • Extra stand for Iron.
- High Quality foam sheet Between meshed based and cotton clothes gives extra smoothness
- Anti-skid rubber shoes.


Model	Size	Table Base	Cover
BIT Jumbo	114x43 CM	Made of Powder coated meshed steel	Cotton Cloth
BIT Jumbo (FP)	114x43 CM	Made of Powder coated meshed steel	Fire resistant Cloth
BIT Focus	122x46 CM	Made of wooden board	Cotton Cloth



MODEL :  
**BIT JUMBO**



MODEL :  
**BIT JUMBO (FP)**



MODEL :  
**BIT FOCUS**

# BRANCLEY KITCHEN LADDER

## Features:

- Extra non- slippery rubber on step
- High quality Mild steel pipes, it makes ladder more sturdy & stable.
- Electrostatic Powder Coated with Classic Red color.
- Corrosion resistant structure for longer life
- Cushioned on top arch that allows a better grip for comfort.
- Anti-skid shoes to keep the ladder safe on flat surface.
- The safety clutch lock keeps the platform locked for safety.
- This ladder is ideal for kitchen, office, warehouses, School laboratory, libraries, and other places etc.



Available Sizes

2 Step



3 Step



4 Step



5 Step





workmanship of highest quality



# BRANCLEY IMPEX PRIVATE LIMITED

G-60, Sarita Vihar-Kalindi Kunj Road, Near Footover Bridge, New Delhi-110025

Tel.: 011-29949465, 9213091796, 9810168933

E-mail : sales@brancley.com, www.brancley.com