Brancley

workmanship of highest quality









www.brancley.com

## INTRODUCTION

Behind every successful enterprise, there are people with innovative spirits, conviction and courage. Brancley is no different. It is run by the people who are trend setters in their respective fields. We believe that flawless product of high quality can be manufactured by the apt combination of human intelligence and mechanical efficiency. For total quality control, We utilizes in house facilities such as R&D lab, Tool Room Design Studio and state of art modern machinery. We do continuous improvements in quality of product, people and the environment within the organization. Our approach towards business is proactive and to uphold the integrity and business ethics. Through our unique design, appropriate material selection and innovative production techniques we manufacture high quality aluminium ladders, floor drains and other stainless steel, aluminium products. which are easy to handle and versatile in use.


Certificate of Compliance

CE

Certificate No.: CE/3091

Manufacturer

Name: BRANCLEY IMPEX PRIVATE LIMITED

Address: K-494, Site-V, UPSIDC Industrial Area, Hapur, Greater Noida, G.B. Nagar-201306 (U.P), India

Product: Aluminium Ladder, Stainless Steel Structures

This certificate is issued under the following conditions:

1. It applies only to the quality system maintained at the manufacturer of above mentioned models and to above mentioned products designs or type examination procedures if required.
2. The certificate remains valid until the manufacturing conditions or the quality system are changed.
3. The certificate validity is confirmed by positive results of surveillance audits.

Validity of this certificate can be verified at www.ukcertification.co.uk/search

Date of Certification: 12th December 2017

1st Surveillance Audit Due: 11th December 2018

2nd Surveillance Audit Due: 11th December 2019

Certificate Expiry: 11th December 2020

Authorised Signatory


tabu

Certificate of Registraion

Brancley Impex Private Limited

312-B, Street No.6, Harla House, Jamia Nagar, New Delhi-110025, India

has been assessed and Certified by Otabu Certification Pvt. Ltd. as meeting the requirements of:

ISO 9001:2015

Quality Management System

For the following scope of activities:

"Manufacture and Supply of Aluminium Ladders, Stainless Steel Floor Drains and Other Home Utility Products"

Certificate Number: 601041217

Validity of this certificate can be verified at www.otabucert.com

EGAC

IAF

MODEL : **BDPL**
STYLE : **DUAL PURPOSE LADDER**
Load Capacity 150 kg.

| MODEL No. | HEIGHT OF LADDER in FT/(mtr) | | Open Size (AXB) (mm) |
|---|---|---|---|
| | Before(L) extension | After extension | |
| BDPL - 03 | 3ft(0.9mtr) | | 385 x 560 |
| BDPL - 04 | 4ft(1.20mtr) | | 420 x 745 |
| BDPL - 05 | 5ft(1.50mtr) | 9ft(2.7mtr) | 460 x 975 |
| BDPL - 06 | 6ft(1.80mtr) | 11ft(3.30mtr) | 500 x 1175 |
| BDPL - 07 | 7ft(2.10mtr) | 13ft(3.90mtr) | 541 x 1360 |
| BDPL - 08 | 8ft(2.40mtr) | 15ft(4.50mtr) | 577 x 1552 |
| BDPL - 09 | 9ft(2.70mtr) | 17ft(5.1mtr) | 620 x 1754 |
| BDPL - 10 | 10ft(3.0mtr) | 19ft(5.70mtr) | 659 x 1940 |
| BDPL - 12 | 12ft(3.6mtr) | | 753 x 2370 |
| BDPL - 14 | 14ft(4.2mtr) | | 810 x 2760 |
| BDPL - 17 | 17ft(5.2mtr) | | 935 x 3478 |




## Technical Features :

- Ladders made from high grade extruded aluminium that gives more strength, rigidity and high corrosion resistance.
- Top and bottom steps are knee braced to increase the resistance to avoid the damages due to dynamic drop. High grade slip resistant foot pad.
- Slip resistant traction tread steps.
- Rigid, Sturdy & Slim in Look with exceptionally strong structure.




## USAGE :

- Maintenance of street Lighting
- Construction job sites.
- For Painting and decorating the building.
- Electro Mechanical works.
- Shopping Mall.

## HEAVY DUTY STRAIGHT LADDER

MODEL : **BHSL**

STYLE : **SINGLE STRAIGHT LADDER**

(C-SECTION WITH ROUND RUNG)

Load Capacity 150 kg.

| MODEL No. | LENGTH | |
|---|---|---|
| | Feet | Meter |
| BHSL 07 | 6.6 | 1.9 |
| BHSL 09 | 8.3 | 2.4 |
| BHSL 11 | 10.0 | 3.0 |
| BHSL 14 | 12.5 | 3.7 |
| BHSL 16 | 14.0 | 4.2 |
| BHSL 18 | 16.0 | 4.8 |
| BHSL 23 | 20.0 | 6.0 |




## HEAVY DUTY EXTENSION LADDER


MODEL : **BHEL**

STYLE : **DOUBLE EXTENSION LADDER**

(C-SECTION)

Load Capacity 150 kg.

| MODEL No. | CLOSED LENGTH | | EXTENDED LENGTH | |
|---|---|---|---|---|
| | Feet | Meter | Feet | Meter |
| BHEL 07 | 6.6 | 1.9 | 10.6 | 3.2 |
| BHEL 09 | 8.3 | 2.4 | 14.0 | 4.2 |
| BHEL 11 | 10.0 | 3.0 | 17.0 | 5.1 |
| BHEL 14 | 12.5 | 3.7 | 21.0 | 6.3 |
| BHEL 16 | 14.0 | 4.2 | 24.3 | 7.3 |
| BHEL 18 | 16.0 | 4.8 | 28.3 | 8.5 |
| BHEL 23 | 20.0 | 6.0 | 36.3 | 10.9 |




### USAGE :

- Maximum Security.
- Easy Handling.
- Maintenance of street Lighting.
- Construction job sites.
- Electro Mechanical works.
- Shopping Mall.
- Comfort in use.

MODEL : **BSL**
STYLE : **BRANCLEY STEP LADDER**
Load Capacity 150 kg.

| MODEL No. | Total Height (Inch) | Platform Height (Inch) |
|---|---|---|
| BSL - 03 | 47 | 25 |
| BSL - 04 | 57 | 34 |
| BSL - 05 | 67 | 43 |
| BSL - 06 | 77 | 52 |
| BSL - 07 | 87 | 61 |
| BSL - 08 | 97 | 70 |
| BSL - 09 | 107 | 79 |
| BSL - 10 | 117 | 88 |




## Technical Features :

- High grade extruded aluminium alloy for more strength, rigidity and high corrosion resistance.
- High grade slip resistant foot pads.
- Rigid, sturdy & light weight with exceptionally strong structure for bearing human load upto 150 kgs.

## Product Advantages :

- Light Weight
- Easy Handling
- Comfort in Use

MODEL : **BCL**
STYLE : **BRANCLEY COMFY LADDER**
Load Capacity 150 kg.

| MODEL No. | Total Height (Inch) | Platform Height (Inch) |
|---|---|---|
| BCL - 04 | 56 | 36 |
| BCL - 05 | 66 | 46 |
| BCL - 06 | 76 | 56 |
| BCL - 07 | 86 | 66 |



## Technical Features:

- High grade extruded aluminium alloy for more strength, rigidity and high corrosion resistance.
- High grade slip resistant foot pads.
- Rigid, sturdy & light weight with exceptionally strong structure for bearing human load upto 150 kgs.
- Easy and safe to climb with the support of side railings.

## USAGE:

Domestic purpose / Factroy Facilities / Construction & building maintenance site / Departmental stores

# FIBRE GLASS STEP LADDER

- Non-conductive fibreglass stiles, ideal for working around electricity for home and industrial use
- Integrated tool tray for holding tools whilst you work
- High grade of FRP makes it more rigid and stable & 150kg load capacity suitable for heavy trade use
- Solid aluminium rivets provide rigid fixing
- Non Conductive ladder and also fire resistance, Corrosion & Water Resistant
- Available in 3 feet to 12 feet
- ERDA certified ladders
- Comes with a 1 year warranty for Manufacturers defects



## STRAIGHT STEP LADDER

Load Capacity 150 kg.

| MODEL No. | HEIGHT (Feet) |
|---|---|
| BSSL 06 | 6 |
| BSSL 07 | 7 |
| BSSL 08 | 8 |
| BSSL 09 | 9 |
| BSSL 10 | 10 |

## Fiber Glass Ladder




W=410±5mm



## USAGE :

- Maximum Security.
- Easy Handling,
- Maintenance of street Lighting.
- Construction job sites.
- Electro Mechanical works.
- Shopping Mall.
- Comfort in use.

MODEL : **BMPL**

STYLE : **BRANCLEY MULTI PURPOSE LADDER**

Load Capacity 150 kg.

## Description:

The multi purpose Ladder is a compact four section folding ladder, Which can be used in upto four configurations, plus a workbench.
When foded it measures just 940mm x 350mm x 255 mm and will fit easily into a car bood.



## Technical Features:

Four section hinged ladder.
Square rungs and box - section style gives exceptional strength and rigidity. Large click - stopped hinges ensure a safe, positive lock in each position.

## Multi purpose Mode:

- Step Ladder
- Stairway ladder.
- Leaning ladder with standoff.
- Leaning ladder
- Workbench

MODEL : **BRANCLEY TELESCOPIC LADDER**

STYLE : **SINGLE TELESCOPIC LADDER**

Load Capacity 150 kg.

## Technical Features:

- Ideal For Cleaning Windows, Interior & Exterior Painting & Decorations, All Other House Hold Works & Office Works.
- Super Quality Alloy Aluminium Built Ladder. Non-Slip Rubber Angled Feet to Protect Floor Surfaces and Give Great Grip in All Positions. Anti-Skid PVC Shoes for Added Safety.
- Foldable easaly portable & occoupy less storage space.
- Available in 3.2, 3.8 & 4.1 meters



MODEL : **BRANCLEY**
**ALUMINIUM SCAFFOLDING**

STYLE : **BRANCLEY**
**INDUSTRIAL SCAFFOLD TOWERS**






- Tube to tube welded joints makes frames lighter.
- Integral with 500mm rung spacing.
- Weight rating 700Kg less tower self weight.
- Available in different working heights from 2 mtr. to 15 meter with two width options of single & double width.
- Fitted with single locking castors individual certified to 700 Kg. static load.
- Frame Section available in 850mm and 1450mm widths and 1m., 1.5m. and 2m. Heights.
- Fully welded Ladder incorporated into frame.
- Tower base plates are available as an alternative.
- Safe working load of 275 kg. per platform.
- Floating Spigots for easy assembly / dismantling.

| Model | Material | Length | Width | Available Height | Castor Wheels |
|---|---|---|---|---|---|
| Single Width Tower | Aluminium Alloy | 1.8 Mtr. | 0.8 Mtr. | 2 mtr. to 15 Mtr. | 6” Castor Wheels |
| Double Width Tower | Aluminium Alloy | 1.8 Mtr. | 1.4 Mtr. | 2 mtr. to 15 Mtr. | 6” Castor Wheels |


## FLOOR DRAINS




FD 011: Floor Drain with Removable Grid & securing Screws with Cover (3 pc set)




FD 014: Floor Drain




- Rust resistance
- Soft design
- 10 years warranty





| Model No. | Material | Size | Thickness | Outlet Data | Finish |
|---|---|---|---|---|---|
| FD 011 | SS 304/316 | 150x150x110 | 2 MM | 110 MM | Polish |
| FD 014 | SS 304/316 | 200x200x110 | 2 MM | 110 MM | Polish |


## FLOOR DRAINS




### FD 012: Floor Drain




### FD 015: Floor Drain with Removable Grid & securing Screws with Cover (3 pc set)





- Rust resistance
- Soft design
- 10 years warranty

| Model No. | Material | Size | Thickness | Outlet Data | Finish |
|---|---|---|---|---|---|
| FD 012 | SS 304/316 | 150x150x110 | 2 MM | 110 MM | Polish |
| FD 015 | SS 304/316 | 200x200x110 | 2 MM | 110 MM | Polish |


## FLOOR DRAINS




### FD 013 : Floor Drain - Clean out Floor Drain with removable Cover and Securing Screws




### FD 016 : Floor Drain - Clean out Floor Drain with removable Cover and Securing Screws




- Rust resistance
- Soft design
- 10 years warranty

| Model No. | Material | Size | Thickness | Outlet Data | Finish |
|---|---|---|---|---|---|
| FD 013 | SS 304/316 | 150x150x110 | 2 MM | 110 MM | Polish |
| FD 016 | SS 304/316 | 200x200x110 | 2 MM | 110 MM | Polish |



Brancley

workmanship of highest quality





# BRANCLEY IMPEX PRIVATE LIMITED


G-60, Sarita Vihar-Kalindi Kunj Road, Near Footover Bridge, New Delhi-110025

**Tel.: +91 9810168933**

E-mail : sales@brancley.com, www.brancley.com

**Factory:**

K-454, Site V, UPSIDC Industrial Area, Kasna, Greater Noida,
G.B. Nagar - 201306